

HAVE FIRM grip ON YOUR PRODUCT PACKAGING




GRIP STRAPPING TECHNOLOGIES


G - GLOBAL STANDARDS
R - RELIABILITY & STRENGTH
I - INNOVATION & SUSTAINABILITY
P - PARTNERING FOR SUCCESS



Durable, High-Performance Pneumatic tools built to handle heavy-duty tensioning and sealing with ease.



Angle Boards & Other Products



ECO FRIENDLY
Grip Green Plast Saddles

RECOGNIZED FOR EXCELLENCE

With a legacy of Innovation & Reliability, We stand as a leader in industrial packaging solutions. Recognized as the Best Strapping Manufacturer by Economic Times,



We are committed to delivering High-Quality Steel strapping, PET strapping & comprehensive packaging solutions. Backed by a 48,000 MT production capacity and nearly two decades of expertise, we cater to industries worldwide. From high-performance strapping to turnkey operational contracts, we ensure strength and security in every package.



European Standard Battery PET Strapping Tool



Fast, efficient, and reliable Pneumatic Strapping tools.



Effortless sealing power for heavy-duty steel strapping.



Precision tensioning and sealing for Secure Steel Strapping.



High-Tech & Heavy Duty Semi-Automatic machine for wrapping palletized loads with stretch film.



Engineered to protect your goods with eco-conscious and high-performance PET strapping.



Survey # 380, 382 & 384, Nuthankal, Medchal - Malkajgiri District, Telangana 501401, India

✉ : connect@gripstrappingtech.com, info@gripstrappingtech.com

🌐 : www.gripstrappingtech.com ☎ : +91 777 999 0501

DISCOVER MORE !!



Reusable Steel Saddles

Grip Strapping Technologies Private Limited

Facebook : Gripstrappingtech Instagram : Gripstrapping Twitter : GripStrapping
LinkedIn : Grip Strapping Technologies Private Limited

INTRODUCTION – GRIP STRAPPING TECHNOLOGIES




India's Leading Steel Strapping & Packaging Solutions Provider

Grip Strapping Technologies is a premier manufacturer of steel strapping and comprehensive packaging solutions, strategically located near key industrial hubs to serve diverse industries, including Steel, Cold Rolling, Galvanizing, Glass, Copper, Aluminium, Pharma, Paper, Jute, and Structural Sectors.

We are a major exporter, supplying markets in UAE, Sri Lanka, Australia, Germany, Italy, Singapore, and Bangladesh. Our expertise spans ferrous, non-ferrous, and transport packaging, providing customized packaging designs and end-to-end contract solutions.

Key Offerings & Expertise

- High-Performance Steel Strapping – Manufactured for durability, rust resistance, and superior tensile strength.
- Automated Strapping Solutions – Custom-designed for HR Coil, CR Coil, WR Coil, and Bar Mills in collaboration with OEM partners.
- Maintenance & Service Support – Skilled engineers providing support for all major online/offline automatic & semi-automatic strapping machines and compactors.



Driven by a commitment to quality, customer satisfaction, & industry expertise, we continuously reach into new regions & sectors. **At Grip Strapping Technologies, we are dedicated to being a “Complete Packaging Solutions Provider.”**

The Steel Strapping manufactured at our plants has the following unique benefits.

- Consistent Tensile Strength – Uniform width & thickness
- Safe Handling – Smooth, rounded edges
- Enhanced Rust Resistance – Painted & Zinc-coated surfaces
- Superior Performance – Wax coating for better tension transmission
- Premium Quality – Free from curl, camber, and twists

Product Range

- Steel Strapping Grades: Uniflex, Superflex-Eco, Superflex, Maxiflex
- Steel Strapping Seals: Regular & Secure Stack Seals
- PET Strapping: High-Strength, durable PET Strapping solution
- Strapping Tools & Accessories: Battery, Pneumatic & Manual tools, Spares & Dispensers for Steel & PET Strapping
- Packaging Protection: Edge Protectors, Corner Boards, ID & OD Protection (Plastic, Paper & Steel)
- Films & Tapes: Stretch Films, Industrial Tapes, Surface Protection (Bubble Guard, Flute Board, EPE Foam)
- Bulk Packaging: Jumbo Bags & PP Bags
- Transshipment Packaging: Dunnage Bags, Cord Strap & Lashing system

At Grip Strapping Technologies, we ensure cost-effective, high-quality packaging solutions that enhance efficiency and reduce operational costs for our customers.

Specification : UNIFLEX Grade Steel Strapping

Item Code	Width (mm)	Thickness (mm)	Break Load (Kg)	Elongation (GL=150mm)	Minimum UTS (Kg/mm²)	Bend	Winding				Yield (m/Kg)
							R	M	J	SJ	
UF1215	12.70	0.38	362	1.5% max	75	2	✓				26.40
UF1218	12.70	0.46	438	1.5% max	75	2	✓				21.80
UF1220	12.70	0.51	486	1.5% max	75	2	✓				19.70
UF1223	12.70	0.58	552	1.5% max	75	2	✓	✓			17.30
UF5815	15.88	0.38	453	1.5% max	75	2	✓	✓			21.10
UF5818	15.88	0.46	548	1.5% max	75	2	✓	✓			17.40
UF5820	15.88	0.51	607	1.5% max	75	2	✓	✓			15.70
UF5823	15.88	0.58	691	1.5% max	75	2	✓	✓			13.80
UF3415	19.05	0.38	545	1.5% max	75	2	✓	✓			17.60
UF3418	19.05	0.46	657	1.5% max	75	2	✓	✓			14.50
UF3420	19.05	0.51	729	1.5% max	75	2	✓	✓			13.20
UF3423	19.05	0.58	829	1.5% max	75	2	✓	✓			11.50
UF3425	19.05	0.64	914	1.5% max	75	2	✓	✓			10.30
UF3431	19.05	0.79	1129	1.5% max	75	2	✓	✓	✓		8.50
UF1425	31.75	0.64	1524	1.5% max	75	2	✓		✓	✓	6.20
UF1431	31.75	0.79	1881	1.5% max	75	2	✓		✓	✓	5.10

Specification : SUPERFLEX-ECO Grade Steel Strapping

Item Code	Width (mm)	Thickness (mm)	Break Load (Kg)	Elongation (GL=150mm)	Minimum UTS (Kg/mm²)	Bend	Winding				Yield (m/Kg)
							R	M	J	SJ	
SFE5823	15.88	0.58	783	3% min	85	2	✓				13.80
SFE3423	19.05	0.58	939	3% min	85	2	✓	✓			11.50
SFE3425	19.05	0.64	1036	3% min	85	2	✓	✓			10.30
SFE3431	19.05	0.79	1279	3% min	85	2	✓	✓	✓		8.50
SFE1425	31.75	0.64	1727	3% min	85	2	✓		✓	✓	6.20
SFE1431	31.75	0.79	2132	3% min	85	2	✓		✓	✓	5.10
SFE1431	31.75	0.89	2402	3% min	85	2	✓		✓	✓	

Tolerance	
Width	±0.127 mm
Thickness	+0.05 mm, -0.025 mm
Paint Thickness	Regular Colors : 5.0 microns Zinc Coated : 7.0 microns
Coil Weight	Regular : 45-50 Kgs approx. Jumbo/Super Jumbo : 150-500 Kgs approx.
Curl	≤ 25.4mm per 2440 mm
Camber	≤ 12.7mm per 2440 mm
Twist	≤ 20° per 2440 mm
Slippage	Maximum 7Kg
Winding Type	R – Ribbon M – Mill J – Jumbo SJ – Super Jumbo

WELDLESS



Note : We can supply custom-made parameters such as tensile strength, elongation, coil weight to meet your specific requirements.



Specification : SUPERFLEX Grade Steel Strapping

Item Code	Width (mm)	Thickness (mm)	Break Load (Kg)	Elongation (GL=150mm)	Minimum UTS (Kg/mm²)	Bend	Winding				Yield (m/Kg)
							R	M	J	SJ	
SF5823	15.88	0.58	848	5.0% min	92	2		✓			13.80
SF3423	19.05	0.58	1017	5.0% min	92	2	✓	✓			10.60
SF3425	19.05	0.64	1122	5.0% min	92	2	✓	✓			8.50
SF3431	19.05	0.79	1385	6.5% min	92	2	✓	✓	✓		7.90
SF3433	19.05	0.84	1473	6.5% min	92	2	✓	✓	✓		7.50
SF3435	19.05	0.89	1560	6.5% min	92	2	✓	✓	✓		7.80
SF1025	25.40	0.64	1496	5.0% min	92	2	✓				6.30
SF1031	25.40	0.79	1846	6.5% min	92	2	✓		✓		3.90
SF1050	25.40	1.27	2968	6.5% min	92	2	✓				6.40
SF1425	31.75	0.64	1870	5.0% min	92	2	✓		✓	✓	5.10
SF1431	31.75	0.79	2308	6.5% min	92	2	✓		✓	✓	4.60
SF1435	31.75	0.89	2600	9.0% min	92	2	✓		✓	✓	3.90
SF1440	31.75	1.01	3038	9.0% min	92	2	✓		✓	✓	3.60
SF1444	31.75	1.12	3245	9.0% min	92	2	✓				3.20
SF1450	31.75	1.27	3710	9.0% min	92	2	✓				2.70
SF1457	31.75	1.45	4235	9.0% min	92	2	✓				

Specification : MAXIFLEX Grade Steel Strapping

Item Code	Width (mm)	Thickness (mm)	Break Load (Kg)	Elongation (GL=150mm)	Minimum UTS (Kg/mm²)	Bend	Winding				Yield (m/Kg)
							R	M	J	SJ	
MX3431	19.05	0.79	1655	5% min	110	1R	✓	✓	✓		8.50
MX3433	19.05	0.84	1760	5% min	110	1R	✓	✓	✓		7.90
MX3435	19.05	0.89	1865	5% min	110	1R	✓	✓	✓		7.50
MX1025	25.40	0.64	1788	5% min	110	1R	✓		✓		7.80
MX1031	25.40	0.79	2207	5% min	110	1R	✓		✓		6.30
MX1425	31.75	0.64	2235	5% min	110	1R	✓		✓	✓	6.40
MX1431	31.75	0.79	2759	5% min	110	1R	✓		✓	✓	5.10
MX1435	31.75	0.89	3108	5% min	110	1R	✓		✓	✓	4.60
MX1440	31.75	1.01	3527	5% min	110	1R	✓		✓	✓	3.90
MX1444	31.75	1.12	3912	5% min	110	1R	✓				3.60
MX1450	31.75	1.27	4435	5% min	110	1R	✓				3.20
MX1457	31.75	1.45	5064	5% min	110	1R	✓				2.70


Tolerance	
Width	±0.127 mm
Thickness	+0.05 mm, -0.025 mm
Paint Thickness	Regular Colors : 5.0 microns Zinc Coated : 7.0 microns
Coil Weight	Regular : 45-50 Kgs approx. Jumbo/Super Jumbo : 150-500 Kgs approx.
Curl	≤ 25.4mm per 2440 mm
Camber	≤ 12.7mm per 2440 mm
Twist	≤ 20° per 2440 mm
Slippage	Maximum 7Kg
Winding Type	R - Ribbon M - Mill J - Jumbo SJ - Super Jumbo



Note : We can supply custom-made parameters such as tensile strength, elongation, coil weight to meet your specific requirements.

Specification : SEALS for Steel Strapping

Item Code	Strap Width (mm)	Seal Length (mm)	Seal Type	Joint Type
12O	12.70	28.10	Snap On	Double Notch
12P	12.70	21.10	Push	Single Reverse Notch
16O	15.88	28.10	Snap On	Double Notch
16P	15.88	21.10	Push	Single Reverse Notch
16M	15.88	28.50	Nestack	Double Notch
19O	19.05	31.80	Snap On	Double Notch
19P	19.05	26.60	Push	Single Notch
19M	19.05	28.50	Nestack	Double Notch
19H	19.05	57.20	Push	Double Notch
25P	25.40	57.20	Push	Double Notch
32P	31.75	57.20	Push	Double Notch
32M	31.75	51.00	Nestack	Double Notch
32OF	31.75	57.20	Open Flange	Double Notch
32G	31.75	74.60	Open Flange	Double Crimp / Notch
32WG	31.75	74.60	Open Flange	Double Crimp / Notch



Specification : PET Strapping

Item Code	Width (mm)	Thickness (mm)	Break Load (Kg)	Average Elongation	Weight/ft (grams)	Coil Length (Mtrs)
P1250	12.70	0.50	270	15%	2.72	2743
P1270	12.70	0.70	370	15%	3.72	1981
P1560	15.60	0.60	420	15%	4.11	1600
P1575	15.60	0.75	500	15%	4.90	1402
P1590	15.60	0.90	590	15%	5.79	1220
P1510	15.60	1.00	650	15%	6.43	1066
P1895	18.50	0.95	780	15%	7.25	915
P1927	19.00	1.27	1071	15%	12.03	740
P2527	25.00	1.27	1330	15%	13.07	550
P3210	32.00	1.00	1340	15%	13.17	550
P3227	32.00	1.27	1700	15%	16.73	457

Note : Any sizes not listed in the table above can be custom-produced to meet specific requirements for coil weights ranging from 20 kg to 75 kg

Tolerance	
Width	±0.5 mm
Thickness	±0.05 mm
Colour	Green / Blue / Black
Elongation Limit	12-15%
Coil Size	Small Coils : ID 406mm ; Width 150mm Jumbo Coils : ID 406mm ; Width 190mm Super Jumbo Coils : ID 406mm ; Width 300mm





TOOLS, SPARES & SERVICES FOR STEEL & PET STRAPPING

STRAPPING TOOLS. ACCESSORIES. SERVICES.

- Complete Support** – Superior quality service for all your strapping tools, ensuring peak performance.
- Preventative Maintenance** – Optimize tool performance with expert In-House or On-site scheduled maintenance to enhance efficiency, and reduce repair costs. **Annual Maintenance Contracts** are also provided.
- Technical Support** – Expert assistance for troubleshooting, usage guidance, and performance optimization.
- Spare Parts** – Genuine parts for pneumatic, battery, and manual tools from major brands.
- In-House Repairs** – Professional servicing at our facility for all Steel & PET Strapping Tools and Accessories.



STRAP DISPENSER

(STEEL/PET/PP)

Inner Dimension : 200MM

Width : 10MM – 32MM

Suitable for Ribbon and Mill wound type Coil



Pneumatic Tensioner

Strap Type: For Uniflex, Superflex ECO and SuperFlex
Strap Width: 19mm – 32mm
Strap Thickness: 0.6mm – 1.1mm



Pneumatic Combination Tool – Single Notch

Strap Type: For UniFlex & SuperFlex
Strap Width: 10mm, 13mm, 16mm, 19mm
Strap Thickness: 0.4mm – 0.79mm (For UniFlex)
0.4mm – 0.63mm (For SuperFlex)



Pneumatic Combination Tool – Double Notch

Strap Type: For UniFlex, SuperFlex ECO, SuperFlex & MaxiFlex
Strap Width: 19mm, 25mm, 32mm
Strap Thickness: 0.6mm – 1mm (For UniFlex)
0.63mm – 0.8mm (For SuperFlex)



Strap Cutter

A powerful tool engineered for precision and efficiency in strapping operations.
Strap Width: Up to 32 mm
Strap Thickness: Up to 1.30 mm



Pneumatic PP/PET Strapping Tool

This pneumatic tool is designed for heavy-duty PP/PET strapping applications.
Strap Width: (10mm–19mm) & (13mm–19mm) & (16 mm–19mm)
Strap Thickness: 0.4mm–0.9mm & 0.6mm–1.30mm



Manual Sealless Strapping Tool

Strap Type: For Uniflex, Superflex ECO
Strap Width: 13mm, 16mm, 19mm
Strap Thickness: 0.4MM – 0.6MM



Manual Pusher Type Strapping Tool

Strap Type: For Uniflex, Superflex ECO
Strap Width: 13mm, 16mm, 19mm
Strap Thickness: 0.4MM – 0.6MM



Pneumatic Combination Tool – Single Notch

Strap Type: For UniFlex, SuperFlex ECO, SuperFlex & MaxiFlex
Strap Width: 13mm, 16mm, 19mm
Strap Thickness: 0.4MM – 0.6MM

- Quality of CE Standard
- Easy and efficient on use
- Operation for better tension strength
- Strong, Stable and durable quality
- Genius mode for powerful packaging



Strap Cutter

Heavy-duty manual cutter designed for cutting steel straps.
Strap Width: Up to 19 mm
Strap Thickness: Up to 0.8 mm



Pneumatic Welding Tool

Compact pneumatic tool for PP/PET strap welding. Ensures reliable sealing in industrial use.
Strap Width: From 10–19 mm
Strap Thickness: 0.6–1.30 mm



Automatic Battery Operated PET Strapping Tool

This PET strapping tool is engineered for versatile and efficient strapping applications.
Strap Width: 25mm/32mm
Strap Thickness: 0.9mm – 1.30mm



Automatic Battery Operated PET/PP Strapping Tool

The PET/PP strapping tool is engineered for versatile and efficient strapping applications.
Strap Width: 10, 13, 16 mm
Strap Thickness: 0.5mm – 1.10mm



Pneumatic Sealer

Seal Type: Overlap Seal Double Notch
Strap Width: 19mm, 25mm, 32mm
Strap Thickness: 0.6mm – 1.1mm



Manual Pusher Type Tensioner

Package Type: For Round or Irregular Package Loads
Strap Width: 19mm–32mm
Strap Thickness: 0.58mm–0.89mm



Manual Windlash Type Tensioner

Package Type: For Flat Package Loads
Strap Width: 19mm–32mm
Strap Thickness: 0.79mm – 1.30mm



Manual Sealer

Joint Type: Single Notch/Double Notch
Strap Width: 19mm, 25mm, 32mm
Strap Thickness: 0.64mm–1.30mm



Tool Suspension System

A highly efficient solution designed to enhance workplace ergonomics and productivity.
Capacity : 0.5–220Kgs



Pneumatic PP/PET Strapping Tool

Compact and user-friendly pneumatic tool for PP/PET strapping.
Strap Width: 25, 32 mm
Strap Thickness: 0.9–1.27 mm



Nail Coils & Nail Guns

A robust and versatile pneumatic Nailers designed for demanding industrial applications.



Automatic Battery Operated Strapping Tool

The strapping tool is engineered for heavy-duty PP / PET strapping applications.
Strap Width: 16mm / 19mm
Strap Thickness: 0.8mm – 1.27mm



BATTERY-POWERED TOOLS FOR PLASTIC STRAPPING

A next-gen battery-powered strapping tool with a touchscreen interface, real-time data display, and easy customization. Lightweight, well-balanced, and designed for effortless operation with simplified maintenance




OTHER PRODUCTS

Alongside our primary packaging solutions, we provide a range of additional products designed to improve load stability, protection, and efficiency. These solutions support various industrial applications, ensuring secure handling, transportation, and storage while enhancing overall packaging performance.




Eco Green Plast Saddles
Green Plast saddles are made from Eco Friendly Composite, designed to support and stabilize Products during storage and transport.




Steel Saddles
Heavy-duty saddles made from fabricated steel, designed to provide strong and stable support for heavy coils during storage and transit.




Wooden Pallet
Available in Pinewood or durable Junglewood, these solid wood pallets ensure maximum load stability - Built for tough industrial environments



EXPANDED POLYSTYRENE (THERMOCOL) (EPS)
Expanded Polystyrene (EPS) offers lightweight, rigid protection against impacts and temperature changes, ensuring product safety during transit.



Bubble Guard
Bubble Guard boards utilize a robust cellular structure to offer excellent cushioning and impact resistance, ensuring maximum safety for surfaces and packaged goods.



ID/OD Protectors - Paper, Plastic and Metal
Specialized protection for coil edges, these guards absorb strapping tension and prevent deformation on both Inner and Outer Diameters.



Jumbo Bags
Jumbo Bags offer a robust solution for bulk packaging. Made from durable, UV-stabilized fabric with customizable filling and discharge spouts.



HDPE Fabric Roll & LDPE Fabric Roll
• Printing and Color can be customized as per requirement
• Also available in flat films



Dunnage Airbags - PP Woven or Kraft Paper
Fill gaps and secure loads with our high-strength Dunnage Air Bags. Built to absorb impact and prevent shifting.



Stretch Film
Cost-effective pallet wrapping solution offering superior protection, load stability, and resistance against punctures and external elements.



Edge Protectors - Paper, Plastic or Metal
Designed to absorb impact and disperse strap tension, they are the ideal solution for preventing product damage during transit.



Lashing Products
Shock-resistant cord strap ensures cargo stability, preventing movement and damage during transportation and storage.




Specialty Tapes
Secure, seal, and protect with our specialty tape portfolio. Featuring Filament for bundling, BOPP and Kraft for carton sealing, and HDPE for heavy-duty bags. Our Duct tapes handle tough repairs, while Surface Protection films ensure your finish stays flawless. We also supply many more specialty tapes tailored to specific applications, ensuring you have the perfect bond for any packaging challenge.

Heavy Duty Tarpaulin
Provides strong protection against wind, rain, and sunlight, ensuring safety in construction, disaster recovery, and debris control.



APPLICATIONS THAT REFLECT YOUR DIVERSE REQUIREMENTS


Our solutions are designed to meet the needs of a wide range of industries—delivering strength, reliability, and efficiency in every application. From securing heavy loads to enhancing packaging performance, we ensure consistent quality across varied operational environments.



TMT



Tubes



Wire Rods



Container Lashing



Wagon Unitization



Ship Lashing



Ingots



Wooden Crates



Wood



Construction



Glass



FMCG Box Packaging



Pharmaceutical



Refractory



Cotton Bale



Paper

ADVANCED INDUSTRIAL MACHINERY & STRUCTURAL SYSTEMS

AUTOMATIC INDUSTRIAL PACKAGING SYSTEMS



CRANES

GRIP provides turnkey solutions for material handling, specializing in EOT cranes, freight elevators, and hoist systems. The equipment is approved by leading consultants and exported to multiple countries. With advanced engineering, strategic infrastructure in Faridabad & Hyderabad, and a strong focus on quality, we cater to industrial and public sectors globally.



GRAB & LIFTERS

Grip provides ISO-certified bulk handling and lifting solutions, including BELOW-THE-HOOK devices and custom-engineered products. We prioritize innovation, quality, and 24/7 maintenance support for optimal efficiency.



OUR OFFERINGS

- Custom lifting equipment design
- Regular maintenance and servicing
- Spare parts availability
- Material handling consultation



OILS & LUBRICANTS


Grip offers a comprehensive range of industrial oils and specialty lubricants, crafted to **SAE & ISO Standards**, designed to enhance performance, reduce friction, and extend machinery lifespan. Our high-quality products are tailored to meet diverse industry needs with efficiency and reliability.




WIRE ROD COIL COMPACTOR



SEMI-AUTOMATIC ROBOT
STRETCH-WRAPPER



AUTOMATIC STRAPPING MACHINE



AUTOMATIC COIL STRAPPING MACHINE

COMPREHENSIVE OPERATIONAL CONTRACT

Grip Strapping Technologies is a trusted provider of End-to-End packaging solutions, offering Comprehensive Operational Contracts that include product sourcing, maintenance, labor, and automatic strapping machines. We manufacture a wide range of packaging products, including steel strapping, PET strapping, steel seals, PET, LDPE, and HDPE products. With a proven track record of supplying leading conglomerates like JSW, TATA, ESL, SAIL, and RINL, we also offer Build-Own-Operate-Transfer (BOOT) solutions tailored to diverse industry needs.

STRATEGIC PARTNERS



Products & Service Offered.

- | | |
|--|---|
| ❖ Steel Strapping Tools & Spares. | ❖ PET Strapping Tools & Spares. |
| ❖ Automatic Strapping Systems / Solutions for Steel Mills. | ❖ Automatic Strapping, Wrapping and Case Sealer Machines. |
| ❖ Field Engineering & Assessments. | ❖ Wood & Plastic Consumables. |
| ❖ Process Automation Controls. | ❖ All kinds of Machine Handling Equipments |
| ❖ Software For Packing Lines. | ❖ Industrial Lubricants |



☎ : +91 777 999 0501

✉ : connect@gripstrappingtech.com

✉ : info@gripstrappingtech.com



INTERNATIONAL PRESENCE IN

- U.S.A**
- U.A.E**
- OMAN**
- SAUDI ARABIA**
- EUROPE**
- SINGAPORE**
- SRI LANKA**



Manufacturing Unit



Sales & Service Network

Sales & Service Network

- | | | | | |
|-------------|---------------|-------------|--------------|-----------------|
| • Ahmedabad | • Bhubaneswar | • Durgapur | • Jamshedpur | • Nagpur |
| • Angul | • Bokaro | • Faridabad | • Kanpur | • Rourkela |
| • Bellary | • Chennai | • Hindupur | • Kochi | • Visakhapatnam |
| • Bengaluru | • Coimbatore | • Jaipur | • Kolkatta | • Hyderabad |
| • Bhilai | • Delhi | • Jajpur | • Mumbai | • Anakapalle |

DISCOVER MORE !!



Registered Office & Works - 1

Survey # 380, 382 & 384, Nuthankal,
Medchal - Malkajgiri District,
Telangana 501401, India

Works - 2

Survey No.178/1, Eswarapalle,
Chowdudava (V), Kasimkota (M),
Andhra Pradesh-531031, India

Corporate Office

302, 3rd Floor, A- Block,
Jains Friends Square, Suchitra Circle,
Telangana State - 500067, India

Grip Strapping Technologies Private Limited